

# AS3566 Australian Standard BUILDING FASTENERS



100% Made in Taiwan

ISO 9001:2015







# **CONTENTS**



# **Dual-Edge® METAL-Tite™ Self-Drilling Screws**

**Valley Fixing Fasteners** 

**Valley Fixing Fasteners - Heavy Section** 

**Crest Fixing Fasteners - Double Thread** 

**Crest Fixing Fasteners - Full Thread** 

**Stitching Fasteners - Reduced Point** 

**Stitching Fasteners - Needle Point** 

**Concealed Fixing Fasteners** 















## Framing Fasteners · · · · · · ·

**FRAME-Tite™** Fixing to Steel Wall Frames

TRUSS-Tite™ Fixing Steel Roof and Floor Trusses

**Truss to Plate Connection** 



9

10

# **TIMBER-Tite™ Self-Tapping Screws (Type 17)**

**Valley Fixing Fasteners** 

**Crest Fixing Fasteners** 




12




13




# **Self Drilling Screws for Fixing Cladding to Metal**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 4.0mm thick (For #10 gauge) Max 6.0mm thick (For #12 gauge)

#### **PRODUCT FEATURES**

Hex Washer Flange Dual-Edge® Drill Point

#### WASHER

Eco-BDN® Green Washer





#### **PART NUMBER**

#### #10 Gauge

SDHC1016C3N 10-16 x 16mm SDHC1019C3N 10-16 x 19mm SDHC1025C3N 10-16 x 25mm

#### #12 Gauge


SDHC1220C3N 12-14 x 20mm SDHC1225C3N 12-14 x 25mm SDHC1230C3N 12-14 x 30mm SDHC1235C3N 12-14 x 35mm









# **Self Drilling Screws for Fixing to Thick Steel**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 12.5mm thick

#### **PRODUCT FEATURES**

Hex Washer Flange Thread slot No.5 Drilling Point

#### **WASHER**

Eco-BDN® Green Washer






#### **PART NUMBER**


# #12 Gauge

SDH5F1232C3N 12-14 x 32mm SDH5F1238C3N 12-14 x 38mm SDH5F1250C3N 12-14 x 50mm




## **Self Drilling Screws for Fixing Roof Sheeting to Metal - Double Thread**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 6.0mm thick (For #12 gauge)

#### **PRODUCT FEATURES**

Hex Washer Flange Dual-Edge® Drill Point Double Thread Scratshank

#### WASHER

Eco-BDN® Green Washer





#### **PART NUMBER**

#### #12 Gauge

 SDHCG1250C3N
 12-14 x 50mm
 SDHCG1285C3N
 12-14 x 85mm

 SDHCG1255C3N
 12-14 x 55mm
 SDHCG12110C3N
 12-14 x 110mm

 SDHCG1265C3N
 12-14 x 65mm
 SDHCG12130C3N
 12-14 x 130mm


 SDHCG1275C3N
 12-14 x 75mm









# **Self Drilling Screws for Fixing Roof Sheeting to Metal - Full Thread**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 6.0mm thick (For #12 gauge)

#### **PRODUCT FEATURES**

Hex Washer Flange Full Thread Dual-Edge® Drill Point

#### **WASHER**

Eco-BDN® Green Washer





#### **PART NUMBER**

#### #12 Gauge

 SDHC1245C3N
 12-14 x 45mm
 SDHC1275C3N
 12-14 x 75mm


 SDHC1255C3N
 12-14 x 55mm
 SDHC1290C3N
 12-14 x 90mm


SST 1000 hrs + Kesternich 7 cycles

SDHC1265C3N 12-14 x 65mm




# **Stitching Fasteners - Reduced Point**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 2.0mm thick (For #15 gauge)

#### **PRODUCT FEATURES**

Hex Washer Flange Thunder-Shot Reduced Point Harpoon Thread

#### **WASHER**

Eco-BDN® Green Washer





#### **PART NUMBER**

#15 Gauge


SDHC1520C3N 15-15 x 20mm









# **Stitching Fasteners - Needle Point**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 1.0mm thick

#### **PRODUCT FEATURES**

Hex Washer Flange Needle Point

#### **WASHER**

Eco-BDN® Green Washer






#### **PART NUMBER**

#10 Gauge

SDHST1019C3N 10-16x19mm



## **Concealed Fixing Fasteners**



#### **ADAPTER TO USE**

Philips Bit (PH2+)



#### STEEL PENETRATION

Max 4.0mm thick

#### **PRODUCT FEATURES**

Wafer Head Philips Drive Thunder-Shot Point

#### **PART NUMBER**


SDWF1016C3 10-24 x 16mm SDWF1022C3 10-24 x 22mm








# Framing Fasteners - FRAME-Tite™ Fixing to Steel Wall Frames



#### **ADAPTER TO USE**

Philips Bit (PH3+)



#### STEEL PENETRATION

0.55mm x 2 to 1mm x 2

### **PRODUCT FEATURES**

- Smooth flat top head for discreet fixing
- Superior holding strength
- Easy application

#### **PART NUMBER**


SDFHSF0622C3 M6.0-1.00 x 22mm



AS3566 Australian Standard • 100% Made in Taiwan


# BN3 Dual-Edge® METAL-Tite™ Self-Drilling Screws

# Framing Fasteners - TRUSS-Tite™ Fixing Steel Roof and Floor Trusses



#### ADAPTER TO USE

Magnetic Hex Socket (5/16")



#### **PRODUCT FEATURES**

- Superior holding strength
- Self space tapping point makes it easy to start and align in the punched hole
- Easy application

#### **PART NUMBER**


SDHTSF0816C3 M8.0-2.12x16mm









# **Framing Fasteners - Truss to Plate Connection**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### STEEL PENETRATION

Max 6.0mm thick

#### **PRODUCT FEATURES**

Dual-Edge® Drill Point High pull-out strength

#### **PART NUMBER**


SDHCF1220C3 12-14 x 20mm



AS3566 Australian Standard • 100% Made in Taiwan


# **BN3 TIMBER-Tite™ Self-Tapping Screws (Type 17)**

# **Fixing roof sheeting to timber - Valley Fixing Fasteners**



#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### **TIMBER PENETRATION**

Min 20mm penetration

#### PRODUCT FEATURES

Hex Washer Flange Type 17 Sharp Point

### **WASHER**

Eco-BDN® Green Washer





#### **PART NUMBER**

#10 Gauge


T17H1020C3N 10-12 x 20mm









# **Fixing roof sheeting to timber - Crest Fixing Fasteners**





#### **ADAPTER TO USE**

Magnetic Hex Socket (5/16")



#### **TIMBER PENETRATION**

Min 25mm penetration

#### **PRODUCT FEATURES**

Hex Washer Flange Type 17 Sharp Point Double Thread Scratshank

#### **WASHER**

Eco-BDN® Green Washer





#### **PART NUMBER**


#### #12 Gauge

T17HCG1250C3N 12-11 x 50mm T17HCG1265C3N 12-11 x 65mm T17HCG1275C3N 12-11 x 75mm




# **Quality Assurance**

To show our commitment to being a trustworthy supplier, and provide the best product and services, **BDN Fasteners**® are manufactured and quality controlled following ISO standards, and is of course, ISO-9001:2015 certified.









#### **SGS Certification**

BDN Fasteners BN3 Series screws are regularly sent to SGS for Kesternich & Spray Salt Test (1000 hrs) certification.

As part of our new quality assurance policy, which aims to provide high quality, third-party laboratory certified products – customers will now receive the most up-to-date corrosion resistance certifications upon request.

# QUALITY CONTROL IN PROCESS



#### - PRE-PRODUCTION INSPECTION

Drawing Check Specific Conditions Check

#### - HEADING / THREADING / THREADING / PINCH POINTING

Machinery Condition Check

Molds and Dies Inspection and Setup

#### - HEAT TREATMENT

Strictly controlled process

Fully equipped with well maintained case depth and hardness testers.

#### - SURFACE TREATMENT

Well equipped with salt-spray and corrosion test machinery.

#### - PRE-SHIPMENT INSPECTION

Manual Sorting and Rearrangement Optical Sorting (Optional)

#### - FINAL INSPECTION

Dimensions

Functionality Aesthetics

#### - PRE-SHIPMENT SAMPLES SENT UPON REQUEST









# **Ruspert Coating**

BN3™ Silver Ruspert Coating consists of multiple layers of specially formulated, corrosion resistant chemicals, comes with an impressive 40 year warranty, and can easily withstand 1000hrs of salt spray test (AS 2331.3.1-2001), and 15 Kesternich cycles (DIN50018 2.0 SFW).







Conventional Coating

BDN Fasteners® BN3 Series screws are regularly sent to SGS SGS for Kesternich & Spray Salt Test (1000 hrs) certification. **BDN® Ruspert Coating** 









# **HEADQUARTER - TAIWAN**

No. 47-37, Jiahua Rd., Gangshan, Kaohsiung 820, Taiwan (R.O.C.)

T +886 7-6282702 | F +886 7-6282601 | E info@bdnfasteners.com

www.bdnfasteners.com